

From the people who care as much as you do.

We strive for 100% customer satisfaction.

Country Estate®
50
YEAR
NON-PRORATED
LIMITED
WARRANTY
OR LIMITED
LIFETIME
WARRANTY

more
than
50 styles

We Care




CHARTER MEMBER
**VINYL FENCE, DECK AND RAILING
MANUFACTURERS ASSOCIATION**
A Division of the American Fence Association

FENCE FACTS

Country Estate® is the original polyvinyl fence.



The elegant lines of the Avondale bring out the country charm in any home, whether it's located at the end of a country lane or the middle of town. Replace the maintenance of the classic wooden fence while gaining concave styling and a six-inch bottom rail that removes the temptation from small pets that think they can squeeze under and between the pickets. You'll call it a win-win design for everyone.



Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	48" High Fence = 24" Post Depth (Local conditions may require additional depth.)
	60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Standard Cap Style:	5" x 5" Deep Flange
Horizontal Dimensions:	2" x 3 1/2" x 95" (Top)
Horizontal Dimensions:	2" x 6" x 95" (Bottom)
Pickets (Verticals)	
Spacing Between Pickets:	2"
Dimensions:	7/8" Thick x 3" Wide
Ground Clearance:	2"
	(Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	




(Gothic caps optional)



(New England caps optional)

Brandywine

For the nostalgic feel of a traditional picket fence, you can't go wrong with the Brandywine. Its 7/8 x 3-inch pickets are spaced just under two inches apart for the perfect balance of privacy and openness. However, unlike many picket-style fences, the Brandywine features pickets that are flush with the bottom rail for a clean line that's safe for children, pets and lawn equipment.



- Standard Height Options: 36", 42", or 48"
 - Post Spacing Options: 8' center to center
(Notice - Posts must be exactly centered to allow for expansion.)
 - Post Dimensions:
 - 36" High Fence = 5" x 5" x 60"
 - 42" High Fence = 5" x 5" x 66"
 - 48" High Fence = 5" x 5" x 72"
 - Standard Post Depth:
 - 36" High Fence = 24" Post Depth
 - 42" High Fence = 24" Post Depth
 - 48" High Fence = 24" Post Depth
 (Local conditions may require additional depth.)
 - Standard Cap Style: 5" x 5" Deep Flange
 - Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide
 - Pickets (Verticals)
 - Spacing Between Pickets: 1.7"
 - Dimensions: 7/8" Thick x 3" Wide
 - Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)
- Bill of Materials may differ in some areas.




(Gothic caps optional)



(Gothic caps optional)



With its clean, crisp top and bottom lines, Brewster is a contemporary pattern that complements any of today's modern home styles. Whether its role is to keep children and pets in the yard, provide a protective barrier around your yard or simply accent the beauty of your home, the Brewster does the job without hiding the aesthetics that lies beyond. Thanks to an alternating combination of 1 1/2 and 3-inch pickets on two-inch spacing, it meets most codes without blocking the view or the breeze.



Standard Height Options: 36", 42", or 48"

Post Spacing Options: 8' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions: 36" High Fence = 5" x 5" x 60"
42" High Fence = 5" x 5" x 66"
48" High Fence = 5" x 5" x 72"

Standard Post Depth: 36" High Fence = 22" Post Depth
(Local conditions may require additional depth.) 42" High Fence = 22" Post Depth
48" High Fence = 22" Post Depth

Standard Cap Style: 5" x 5" Deep Flange

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide
(Radius corner sections also available.)

Pickets (Verticals)
8' Post Spacing 2" Between Pickets
Dimensions: 3/4" Thick x 1 1/2" Wide
7/8" Thick x 3" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)


Bill of Materials may differ in some areas.



(Gothic caps optional)



Everybody loves the traditional American picket fence and Country Estate's Georgetown is the most durable and trouble-free picket fence ever. It is meticulously constructed of virgin polyvinyl chloride extrusions that never need painting. They simply shrug off chipping, cracking and rotting problems so common to wood construction. The finest improvement to picket fences came hundreds of years after the fence was originated . . . it's Country Estate's Georgetown.



(Gothic caps optional)




(Gothic caps optional)



- Standard Height Options: 36", 42", or 48"
 - Post Spacing Options: 4' or 6' Center to Center
(Notice - Posts must be exactly centered to allow for expansion.)
 - Post Dimensions:
 - 36" High Fence = 3 1/2" x 3 1/2" x 60"
 - 42" High Fence = 3 1/2" x 3 1/2" x 66"
 - 48" High Fence = 3 1/2" x 3 1/2" x 72"
 - Standard Post Depth:
 - 36" High Fence = 24" Post Depth
 - 42" High Fence = 24" Post Depth
 - 48" High Fence = 24" Post Depth
 - Standard Cap Style: 3 1/2" x 3 1/2" Traditional (External Flange)
 - Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide
 - Pickets (Verticals) Georgetown Spacing: 1 9/16" Between Pickets
Nantucket Spacing: 1 3/4" Between Pickets
 - Picket Dimensions:
 - Georgetown: 3/4" Thick x 1 1/2" Wide
 - Nantucket: 7/8" Thick x 3" Wide
 - Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)
- Bill of Materials may differ in some areas.



The Hampton Series provides three distinct styles for widely varying American home designs, available with straight, scalloped, or the new step profile. Strong verticals provide plenty of air-flow and semi-privacy at the same time.



Hampton
(straight)

U.S. Patent No. D378,784

(Gothic caps optional)



Hampton
(scalloped)

Check with local building codes for pool enclosure regulations.




Hampton
(step)

(New England caps optional)

Standard Height Options:	48", 60", or 72"
Post Spacing Options: (Notice - Posts must be exactly centered to allow for expansion.)	8' center-to-center
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Standard Cap Style:	5" x 5" Traditional (External Flange)
Horizontal Dimensions: (Radius corner sections also available.)	2" Thick x 3 1/2" Wide (Top) 2" Thick x 6" Wide (Bottom)
Pickets (Verticals) Picket Dimensions:	1 7/8" Between Pickets 1 1/2" Thick x 1 1/2" Wide
Ground Clearance: (Grade variations will cause inconsistent ground clearance measurements.)	2"
Bill of Materials may differ in some areas.	

You can almost hear the paddle wheelers churning down the Mississippi on a hot summer day. Country Estate brings the flavor of Mark Twain's time to today's residential settings with the Hannibal traditional board fence . . . without the whitewashing that even Tom Sawyer disliked. The Hannibal is constructed of rugged and durable virgin polyvinyl chloride extrusions that are carefree after installation. Boards won't rot or split nor nails rust with Country Estate fence because PVC construction has replaced them with UV resistance and a timeless feeling like those summers long ago.



- Standard Height Options: 36", 42", or 48"
- Post Spacing Options: 4' or 6' center to center
(Notice - Posts must be exactly centered to allow for expansion.)
- Post Dimensions:
 - 36" High Fence = 3 1/2" x 3 1/2" x 60"
 - 42" High Fence = 3 1/2" x 3 1/2" x 66"
 - 48" High Fence = 3 1/2" x 3 1/2" x 72"
- Standard Post Depth:
 - 36" High Fence = 24" Post Depth
 - 42" High Fence = 24" Post Depth
 - 48" High Fence = 24" Post Depth
 (Local conditions may require additional depth.)
- Standard Cap Style: 3 1/2" x 3 1/2" Traditional (External Flange)
- Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide
- Pickets (Verticals)
 - Spacing Between Pickets: 1 3/4"
 - Dimensions: 7/8" Thick x 3" Wide
- Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)
- Bill of Materials may differ in some areas.




(Gothic caps optional)



(Gothic caps optional)

Lincolnshire features diamond shaped verticals for greater strength and reduced open space between pickets. The clean lines and dynamic shadowing appears the same from either side of the fence. This sturdy design looks great with modern home styles.



Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 22" Post Depth 60" High Fence = 34" Post Depth 72" High Fence = 34" Post Depth
Standard Cap Style:	5" x 5" Traditional (External Flange)
Horizontal Dimensions: (Radius corner sections also available.)	3 1/2" Wide x 3 1/2" Thick (Top & Bottom) 1 3/4" Wide x 3 1/2" Thick (Middle)
Pickets (Verticals) Picket Dimensions:	3 1/4" Between Pickets 1 1/2" Wide x 1 1/2" Thick
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	



Our customers say it best . . .

I have had three wood fences with 20-year guarantees that have rotted out. This one will last and always look new.

C.W. - Yorba Linda, CA

We have received so many great comments about the Hampton fence. It was almost overwhelming. It truly changed the look of our house.

G.P. - Carmel, IN

I was very impressed with the quality of work performed by the installer. He was courteous, neat and a very skilled craftsman.


E.G. - Oswego, IL

Both my wife and I are very happy with our fence. Some of our friends liked it also and have contracted the same dealer to install fences around their pools.

R.G. - Bloomsburg, PA

COUNTRY
ESTATE
FENCE

The Malibu from Country Estate is the contemporary design alternative with lifelong durability. Enjoy the beauty of traditional white fence without the traditional maintenance. The clean, smooth lines fit many applications including pool enclosures. (Warning: Check local building codes for pool enclosure regulations.) It is constructed of pure virgin polyvinyl compounds that consistently outperform any and all wood, metal or imitation polyvinyl fence products.




- Standard Height Options: 36", 42", or 48"
 - Post Spacing Options: 4' or 6' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)
 - Post Dimensions: 36" High Fence = 3 1/2" x 3 1/2" x 60"
42" High Fence = 3 1/2" x 3 1/2" x 66"
48" High Fence = 3 1/2" x 3 1/2" x 72"
 - Standard Post Depth: 36" High Fence = 22" Post Depth
(Local conditions may require additional depth.) 42" High Fence = 22" Post Depth
48" High Fence = 22" Post Depth
 - Standard Cap Style: 3 1/2" x 3 1/2" Traditional (External Flange)
 - Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide
Radius corner sections also available.
 - Pickets (Verticals)
4' Post Spacing 1 15/16" Between Pickets
6' Post Spacing 1 15/16" Between Pickets
Dimensions: 1" Thick x 2" Wide
 - Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)
- Bill of Materials may differ in some areas.



(Gothic caps optional)



Rochester provides semi-privacy with plenty of free airflow. The clean design makes it ideal for many home styles. You'll like the neighbor friendly style because it looks identical from either side.



Mid-Rail on 5' and 6' heights only.

Standard Height Options: 48", 60", 72"

Post Spacing Options: 8' center-to-center
(Note – Posts must be exactly centered to allow for expansion.)

Post Dimensions:
48" High Fence = 5" x 5" x 84"
60" High Fence = 5" x 5" x 96"
72" High Fence = 5" x 5" x 108"

Standard Post Depth:
48" High Fence = 24" Depth
60" High Fence = 36" Depth
72" High Fence = 36" Depth

Standard Post Cap: 5" x 5" Traditional (External Flange)

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide (Top, Mid & Bottom Rails)

Picket Dimensions (Verticals): 7/8" Thick x 3" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)

Bill of Materials may differ in some areas.

Our customers say it best . . .

We have the best fence at Lake Barnadette Golf Course. All our neighbors want to do theirs. We have given or passed the name of the company who did our fence and hoped for the best. We selected 3 companies who could have done the job. We liked the design and the price was right from the Country Estate dealer who did a great job. Thank you.

M.P. - Zephyrhills, FL


Staff and Service were beyond anything we expected. It's a treat when people really care and show it. Thanks.

T.S.T. - Calgary, Alberta

The manager took the time to drive 30 miles to our home and visit with me about the fence type I wanted, the way it would be put up and how it would blend in with our home, at no cost or high pressure sales pitch. I also talked to other dealers of fencing and they would not take the time to come to our home and see what I wanted to do. I would highly recommend our Country Estate dealer to anyone! Their workers are neat, clean and take an interest in the job they do.

B.P. - Hutchinson, KS

The Springfield creates a nostalgic ambience of elegance, privacy . . . and turn-of-the century beauty as richly American as popcorn, lemonade, and Fourth of July firecrackers. But, the beauty doesn't end there . . . like all Country Estate PVC fence products, you'll never spend a single hour painting it. It is impervious to weather and it won't rot, peel, or blister. Just enjoy, year after year after year.



(Gothic caps optional)

Standard Height Options:	48", 60", or 72"
Post Spacing Options:	8' center-to-center (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 5" x 5" x 72" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth: (Local conditions may require additional depth.)	48" High Fence = 24" Post Depth 60" High Fence = 36" Post Depth 72" High Fence = 36" Post Depth
Standard Cap Style:	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	1 1/2" Thick x 5 1/2" Wide
Pickets (Verticals) Spacing Between Pickets:	2"
Dimensions:	7/8" Thick x 3" Wide
Ground Clearance:	2"
(Grade variations will cause inconsistent ground clearance measurements.)	
Bill of Materials may differ in some areas.	



(Gothic caps optional)



(Gothic caps optional)



Country Estate Springfield adapts well to sloping terrain — note "steps" on bottom of fence sections. Note: "Standard" Springfield gates are scalloped up, unless specified.


(Gothic caps optional)



Atlantic™ and Cape Cod™


Relive a walk on the beach front every time you step out the front door with Atlantic, as each look at the nostalgic design evokes memories of picnics and homemade ice cream. Your neighbors will feel the same, too, thanks to its Neighbor-Friendly design, which looks the same from either side.

Standard height	36", 42", and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence = 24" 42" High Fence = 24" 48" High Fence = 24"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	3/4" Thick x 1 1/2" Wide
Spacing	3 1/2" spacing
Ground Clearance	2"
Bill of Materials may differ in some areas.	



Enjoy the nostalgic look of Cape Cod and still meet the 50 percent open specification required by some building codes. This classic adds a rich look to any contemporary home without the headaches often associated with a picket fence . . . like fading, peeling and cracking.


Standard height	36", 42", and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence = 24" 42" High Fence = 24" 48" High Fence = 24"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	7/8" Thick x 3" Wide (spade top picket)
Spacing	3 1/2" spacing
Ground Clearance	2"
Bill of Materials may differ in some areas.	



Missouri™

Tom Sawyer would have loved the clean look of the picket-style Missouri fence, no matter which side faced his beloved Mississippi River. Best of all, he would have never had the chore of painting it every few years, or had to con his friends into helping him.


Standard height	36", 42", and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence = 24" 42" High Fence = 24" 48" High Fence = 24"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	7/8" Thick x 3" Wide
Spacing	3 1/2" spacing
Ground Clearance	2"
Bill of Materials may differ in some areas.	



Pacific™

Available in three heights, the Pacific provides a secure boundary for pets and children, yet provides free air movement and a clean look that complements any yard. Its simple, smooth-line design can be further personalized with your choice of cap designs to make it your own.


Standard height	36", 42", and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence = 22" 42" High Fence = 22" 48" High Fence = 22"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	3/4" Thick x 1 1/2" Wide
Spacing	3 1/2" spacing
Ground Clearance	2"
Bill of Materials may differ in some areas.	



Pacific Diamond™

Similar to the Pacific, the Pacific Diamond features diamond-shaped, one-inch square pickets for strength, clean lines and dynamic shadowing that looks great with any modern home style. Best of all, the diamond pickets, which can be hard to reach with a brush, never need painting.

Standard height	36", 42", and 48"
Post spacing option	72" center to center
Post dimension	36" = 3 1/2" x 3 1/2" x 60" 42" = 3 1/2" x 3 1/2" x 66" 48" = 3 1/2" x 3 1/2" x 72"
Standard post depth	36" High Fence = 22" 42" High Fence = 22" 48" High Fence = 22"
Standard cap	3 1/2" Deep Flange
Horizontal Dimension	1 3/4" Thick x 3 1/2" Wide x 71" Long
Pickets	1" Thick x 1" Wide (on diamond shape)
Spacing	3 11/16" spacing
Ground Clearance	2"
Bill of Materials may differ in some areas.	




Potomac™

With its sturdy, evenly spaced pickets, the Potomac provides a distinctive style that complements a variety of home designs. Yet, this economical option still offers all the trouble-free features of virgin polyvinyl that make it free from traditional maintenance.

Standard height	48", 60", and 72"
Post spacing option	72" center to center
Post dimension	48" = 5" x 5" x 72" 60" = 5" x 5" x 96" 72" = 5" x 5" x 108"
Standard post depth	48" High Fence = 24" 60" High Fence = 36" 72" High Fence = 36"
Standard cap	5" Deep Flange
Horizontal Dimension	2" Thick x 3 1/2" Wide x 71" Long (Top) 2" Thick x 6" Wide x 71" Long (Bottom)
Pickets	7/8" Thick x 3" Wide
Spacing	3 11/32" spacing
Ground Clearance	2"
Bill of Materials may differ in some areas.	



(Gothic caps optional)




Sacramento™


With its 1 1/2-inch square pickets, the Sacramento is the perfect compromise between a traditional picket fence and a contemporary Pacific style. As a result, it looks equally at home beside a concrete driveway or a brick sidewalk.

Standard height	48", 60", and 72"
Post spacing option	72" center to center
Post dimension	48" = 5" x 5" x 72" 60" = 5" x 5" x 96" 72" = 5" x 5" x 108"
Standard post depth	48" High Fence = 24" 60" High Fence = 36" 72" High Fence = 36"
Standard cap	5" Deep Flange
Horizontal Dimension	2" Thick x 3 1/2" Wide x 71" Long (Top) 2" Thick x 6" Wide x 71" Long (Bottom)
Pickets	1 1/2" Thick x 1 1/2" Wide
Spacing	3 3/4" spacing
Ground Clearance	2"

Bill of Materials may differ in some areas.



The clean lines of Caribbean style fence are like a welcome sea breeze. Carefully spaced verticals let fresh air flow through without sacrificing the privacy you desire. Concerned about design? You'll find the sleek Caribbean style is complementary to many of today's modern home styles. While your neighbors are scraping and painting their wood fence, you can lean back in your lawn chair and silently congratulate yourself for choosing Country Estate Fence, free from traditional maintenance.



Standard Height Options: 48", 60", 72", 84", or 96"

Post Spacing Options: 6' or 8' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)

Post Dimensions:

48" High Fence =	5" x 5" x 72"
60" High Fence =	5" x 5" x 96"
72" High Fence =	5" x 5" x 108"
84" High Fence =	5" x 5" x 120"
96" High Fence =	5" x 5" x 144"

Standard Post Depth:

48" High Fence =	24" Post Depth
60" High Fence =	36" Post Depth
72" High Fence =	36" Post Depth
84" High Fence =	34" Post Depth
96" High Fence =	46" Post Depth

(Local conditions may require additional depth.)

Standard Cap Style: 5" x 5" Traditional (External Flange)

Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide

Pickets (Verticals)

6' Post Spacing	5/8" Between Pickets
8' Post Spacing	15/16" Between Pickets
Dimensions:	1" Thick x 6" Wide

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)

Bill of Materials may differ in some areas.




(Post ends optional)



(Gothic caps optional)



There was a time when fences were considered a restriction . . . a wall of sorts. Country Estate's many privacy and residential fence designs are changing that perception. Kensington's trim efficiency will add beauty and value to your property while allowing air flow. Your neighbors will recognize it as a strikingly beautiful addition to the neighborhood and it will never become an eye-sore begging for paint. The boards won't peel or blister, the nails won't rust, and the posts won't rot off. Country Estate Fence replaces those problems with ultra-violet resisters and impact modifiers that assure strength and beauty.



(Gothic Caps optional)



(Gothic caps optional)



(Gothic caps optional)




(Gothic caps optional)

- Standard Height Options: 48", 60", 72", 84", or 96"
- Post Spacing Options: 6' or 8' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)
- Post Dimensions:
 - 48" High Fence = 5" x 5" x 72"
 - 60" High Fence = 5" x 5" x 96"
 - 72" High Fence = 5" x 5" x 108"
 - 84" High Fence = 5" x 5" x 120"
 - 96" High Fence = 5" x 5" x 144"
- Standard Post Depth:
 - 48" High Fence = 24" Post Depth
 - (Local conditions may require additional depth.)
 - 60" High Fence = 36" Post Depth
 - 72" High Fence = 36" Post Depth
 - 84" High Fence = 36" Post Depth
 - 96" High Fence = 48" Post Depth
- Standard Cap Style: 5" x 5" Traditional (External Flange)
- Horizontal Dimensions: 1 3/4" Thick x 3 1/2" Wide
- Pickets (Verticals)
 - 6' Post Spacing 1 7/32" Between Pickets
 - 8' Post Spacing 1 3/8" Between Pickets
 - Dimensions: 1" Thick x 6" Wide and 1" Thick x 2" Wide
- Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)
- Bill of Materials may differ in some areas.

Lakeview

With its 5 1/2-inch vertical pickets, the Lakeview offers semi-privacy combined with nominal air flow for that perfect blend of openness and seclusion, particularly in areas that are prone to high winds. The approximate one-inch spacing between pickets all but block the view looking in, especially when viewed at an angle.





COUNTRY[®]
ESTATE
 FENCE

Standard Height Options:	48", 60", or 72"
Post Spacing Options:	96" (Notice - Posts must be exactly centered to allow for expansion.)
Post Dimensions:	48" High Fence = 5" x 5" x 84" 60" High Fence = 5" x 5" x 96" 72" High Fence = 5" x 5" x 108"
Standard Post Depth:	72" High Fence = 34" Post Depth (Local conditions may require additional depth.)
Standard Cap Style:	5" x 5" Traditional (External Flange)
Horizontal Dimensions:	2" Thick x 3 1/2" Wide (Top) 2" Thick x 7" Wide (Bottom)
Pickets (Verticals) Picket Dimensions:	Approx. 1" Between Pickets 1 1/2" Thick x 5 1/2" Wide
Ground Clearance:	2" (Grade variations will cause inconsistent ground clearance measurements.)
Bill of Materials may differ in some areas.	

Montauk

The Country Estate Montauk Series provides the privacy you desire beyond a simple wall. You can control the appearance by selecting one of our family of styles which has been designed by our Country Estate dealers to accommodate various home styles across America.



Standard Height Options: 48", 60", 72", 84", or 96"

Post Spacing Options: 8' center-to-center
(Note – Posts must be exactly centered to allow for expansion.)

Post Dimensions:

- 48" High Fence = 5" x 5" x 84"
- 60" High Fence = 5" x 5" x 96"
- 72" High Fence = 5" x 5" x 108"
- 84" High Fence = 5" x 5" x 120"
- 96" High Fence = 5" x 5" x 144"

Standard Post Depth:

- 48" High Fence = 34" Depth
- 60" High Fence = 34" Depth
- 72" High Fence = 34" Depth
- 84" High Fence = 34" Depth
- 96" High Fence = 46" Depth

Standard Post Cap: 5" x 5" Traditional (External Flange)

Horizontal Dimensions:

- 2" Thick x 7" Wide (Bottom)
- 2" Thick x 7" Wide (Middle)
- 2" Thick x 3 1/2" Wide (Top – Montauk only)
- 1 3/4" Thick x 3 1/2" Wide (Top - Montauk Point Straight, Scallop, and Step)


Picket Dimensions (Verticals):

- 7/8" Thick x 7" Wide (Bottom)
- 1 1/2" Thick x 1 1/2" Wide (Top)

Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)

Bill of Materials may differ in some areas.

Gain the total privacy you desire in a modern ranch-style fence design. We call it Windsor—many refer to it as “basket weave”. Regardless what you call it, this product is free from traditional maintenance. Country Estate Fence features PVC construction entirely with virgin compounds, impervious to moisture and freezing temperatures, and it won't peel, blister or rot. Forget painting, it's never needed with Country Estate Fence. When you select our product, you've eliminated the traditional maintenance found with wood, metal or imitation polyvinyl fence.



- Standard Height Options: 48", 60", or 72"
 - Post Spacing Options: 8' center-to-center
(Notice - Posts must be exactly centered to allow for expansion.)
 - Post Dimensions:
 - 48" High Fence = 5" x 5" x 84"
 - 60" High Fence = 5" x 5" x 96"
 - 72" High Fence = 5" x 5" x 108" (Heavy Wall)
 - Standard Post Depth:
 - 48" High Fence = 36" Post Depth
 - (Local conditions may require additional depth.)
 - 60" High Fence = 36" Post Depth
 - 72" High Fence = 36" Post Depth
 - Standard Cap Style: 5" x 5" Traditional (External Flange)
 - Horizontal Dimensions: 1" Thick x 6" Wide
 - Ground Clearance: 2"
(Grade variations will cause inconsistent ground clearance measurements.)
- Bill of Materials may differ in some areas.



COUNTRY
ESTATE
FENCE